

CT125

Excellent performance against chemical permeation & durability in handling chemical with confident

DESCRIPTION

Nitrile flock-lined unsupported glove

FEATURES

- Flock-lined
- Diamond textured finishing
- Solvent & chemical resistance gloves
- Specially formulated for improved dexterity & durability
- Minimal finger fatigue

COATING

Nitrile

BENEFITS

- Provides chemical resistance against a broad range of solvents, oils, animal fats and other chemicals
- For long lasting mechanical resistance
- Diamond finish grip makes wet work easier and safer
- Ergonomic design maximizes comfort

APPLICATIONS

- Chemical spraying, treatment & blending
- Laboratory testing
- Handling chemicals in agriculture
- Heavy assembly of oil-coated pieces
- Painting & spray workshops
- Coating preparation
- Washing & cleaning

INDUSTRY

- Machinery
- Oil & gas
- Chemical
- Automotive
- Agriculture Municipal services
- Printing
- Cleaning industry



PACKAGING

- \triangleright 12 Pairs per polybag
- 12 Polybags per carton
- 144 Pairs per carton

LENGTH

330mm ± 30mm

THICKNESS

0.40mm ± 0.10mm (Palm area)

SIZES

- 7/S
- 8/M
- 9/L
- 10/XL

COLOUR

Green

STANDARDS





USER INSTRUCTIONS:

Excia Resources Sdn Bhd (1193050-P)

47301 Petaling Jaya, Selangor D.E., Malaysia.

Tel: +603-7629 2321 | Fax: +603-7629 2231

F-3-6, Pacific Place, Jalan PJU 1A/4A, Ara Damansara,

Email: marketing@excia.com.my | Website: www.excia.asia

*Image for illustration purpose only

Protection against mechanical risks. Discard used gloves in compliance with local regulations. Clean the glove with a damp cloth to remove contamination. Permeation information does not reflect the actual duration of protection in the workplace due to other factors that may influence the performance and the differentiation between mixtures and pure chemicals. The performance levels apply to the coated surface only. Store in a dry place, away from the light.

